



POWER THE FUTURE

PRODUCT CATALOG

GERMANY | RUSSIA | UAE

OLYMPIA Hi-Tech Gear Oil SAE 140 GL-4

A Super Diesel, multi grade Engine Oil, suited as year rounds all purpose oil, especially for economical use in the mixed vehicle fleet. Thanks to its carefully selected additive package, combined with outstanding base oils, it can be used in modern high performance diesel engines, even with extended oil change intervals, as well as in gasoline engines. It satisfies the requirements of leading foreign and domestic manufacturers of diesel and gasoline engines.

Performance Levels and approvals:

API GL-4, MAN 341, ZF O2A, 17A, MERCEDES BENZ 235.1

Packing sizes:

12X1L, 4X4L, 60 L DRUM, 208 L DRUM

OLYMPIA Automatic Transmission Fluid, Dexron III

OLYMPIA ATF D III is a hydraulic fluid for automatic transmission and hydraulic clutches, which require an automatic transmission fluid type Dexron III. Assures faultless functioning of the hydraulic transmission even under the most severe operating conditions and great temperature changes. May also be used as a hydraulic fluid for systems working under extreme operating condition.

Performance Levels and approvals:

VOITH G 607 ZF TE-ML 04D, 17C, ALLISON C4, CATERPILLAR TO-2, FORD MERCON, GM DEXRON II E, GM DEXRON III, MAN 339-C, MERCEDES - BENZ BLATT 236.1, OPEL

Packing sizes:

12X1L, 4X4 L, 60 L DRUM, 208 L DRUM

GREASE**OLYMPIA Multi Purpose Grease K2K-30, MP2**

OLYMPIA SUPER MP GREASE IS A PREMIUM GRADE, LITHIUM BASED MULTI PURPOSE GREASE. It is given Good water resistance, Good mechanical and oxidation stability & excellent resistance to rust. Then suitable for all automotive, agricultural and industrial application.

Performance Levels and approvals:

NLGI MP-2

Packing sizes:

12x500g, 15Kg, 180 Kg

BRAKE FLUID**OLYMPIA Ultra Break Fluid, DOT 4**

OLYMPIA BRAKE FLUID is a high quality, non evaporating, non-freezing brake fluid for use in all seasons and for all types of cars, trucks and buses. This brake fluid doesn't only corresponds to SAE specification 70R 3 and J1703 but even surpasses the requirements in many points. It confirms in its physical and chemical properties to the US safety standard FMVSS 571.116/DOT 4.

Performance Levels and approvals:

DOT 4

Packing sizes:

250 ml, 500ml

COOLANT**OLYMPIA Anti Freeze OAF 7000, G-11 / 50%**

OAF 7000 G-11 antifreeze is suitable for all cooling systems, especially for aluminium engines. Protects engine from freezing, rusting and over heating. Free of nitrates, amines, phosphates and silicates. Antifreeze and corrosion inhibitor. Used in car and truck engines as a nitrate and silicate-free radiator antifreeze. Best diluted with deionized or drinking water. Contains effective Anti-corrosion inhibitors to protect the metals of the engine block and the radiator.

Performance Levels and approvals:

MERCEDES BENZ 325.3, PORSCHE, VW, SEAT, SKODA & AUDI TL 774D, NISSAN, MAN 324, MTU MTL 5048, BMW, RENAULT, GM VOLVO, TOYOTO

Packing sizes:

12X1L, 4x4L, 60 L DRUM, 200 L DRUM



Olympia Lube Oil was purely established with the aim of responding to our customers needs in an efficient, dynamic and profitable way and guide our esteemed customers with comprehensive product range.

We are committed to continuously evolve & update our product quality and range to ensure that the Olympia products are manufactured with the most advanced formulations.

We are fully committed to maintain the highest quality in everything we do and you can be rest assured that you are dealing with a company that is striving to achieve total customer satisfaction.

Our complete range of products will enhance your vehicle performance and experience. Our team of experts, be it in quality or sales are always available to guide you with the right solution.

Finally, you can trust us with confidence that our team is always at your service to meet your requirements at short notices to guarantee your uninterrupted working goals.

“Together, we will achieve success” is our goal and our motto.

Thanking You,

Ahmad Shah Shahab

Chairman – Olympia Lube Oil FZCO.



Olympia Group of Companies started its commercial activities in 1990, when Olympia Lube Oil GmbH was registered in Germany. It was established in UAE in the year 1994.

Quality of Olympia lubricants is meticulously checked by the prestigious European Automobile plants in Germany and Sweden. With the high quality approval certificates from these bodies, Olympia products are proud to state that our product ranges are approved by the prestigious Manufacturers like Porsche, Mercedes Benz, BMW, MAN, Volkswagen and Volvo.

The state of the art and the most sophisticated Olympia Plant in the Jebel Ali Free Zone, Dubai has a built up area of over 13,500 sq metres and it has the warehouse of over 3,500 sq metres with the capacity for blending, filling, packing & labelling of different lubricant SKU's.

To deliver the highest quality for all Olympia products, the company has an in built modern laboratory with the state of the art equipments and testing techniques which constantly ensures that all Olympia Products meet the highest International Standards. It also allows our specialists to develop new and tailor made products for our customers with better formulations.

Olympia Oil has the storage capacity of more than 10,000 MT and blending tanks with the production capacity of over 2,50,000 MT per annum with the modern European equipments and powerful pumps for safety and security of our plant and our staffs, as Safety lies at the heart of our core values.



Further, growth and expansion of our production capabilities and also the product variants are in line with demand of our customers and that gave us a reason to spread our wings across the globe and today our presence is wide across in Russia, Afghanistan, Germany, Ukraine and Kyrgyzstan and also a wide network of Exclusive distributors and agents has been appointed by Olympia in whole of Africa as well as in Australia, Kazakhstan, Turkmenistan, Tajikistan, Pakistan, Bangladesh, Azerbaijan, Iraq, Jordan, Turkey, Kingdom of Saudi Arabia and Syria.

Olympia Lube Oil products include high quality motor oils (mineral, semi-synthetic and synthetic lubricants) for Gasoline and Diesel Engines, Transmission Oils, Hydraulic Oils and Greases as well as the speciality products like Anti Freeze Coolants, Brake Fluids and Industrial & Marine Products.

Today, we are a global company with truly International Product range and our goal is to be committed to deliver the best to our customers.

DISTRIBUTORS

Countries



- | | |
|-------------------------|--------------|
| Afghanistan | Lebanon |
| Australia | Mali |
| Bahrain | Nigeria |
| Bangladesh | Pakistan |
| Benin | Qatar |
| Burkina Faso | Russia |
| Egypt | Tajikistan |
| Germany | Togo |
| Iraq | Turkmenistan |
| Ivory Coast | Ukraine |
| Kazakhstan | Uzbekistan |
| Kyrgyzstan | U.A.E |
| Kingdom of Saudi Arabia | |

OLYMPIA LUBE OIL FZCO



OLYMPIA High Performance Engine Oil SAE 15W-40



OLYMPIA high performance, multi grade motor oil, suited as year round all purpose oil, especially for economical use in the mixed vehicle fleet. Thanks to its carefully selected additive package, combined with outstanding base oils, it can be used in modern high performance diesel engines, even with extended oil change intervals, as well as in gasoline engines. It satisfies the requirements of leading foreign and domestic manufacturers of diesel and gasoline engines.

Performance Levels and approvals:

API CF-4/SG, ACEA A2/B2/E2, Allison C-4, Caterpillar TO-2, Mack T7, MAN 271
Mercedes Benz Blatt 228.1, MIL-L-2104 E, MIL-L-46152 D, Volvo VDS, VW 501 01/505 00

Packing sizes:

12x1L, 4x4L, 4x5L, 25L, 60 L DRUM, 208 L DRUM

OLYMPIA Super Diesel Engine Oil SAE 50



This single-grade engine oil with a naturally high viscosity index is made from a basis of extremely ageing resistant solvent reagents together with optimally selected active agents. Their specific properties make them ideal for use in turbocharged diesel engines and for diesel engines in extreme operating conditions. Their high alkaline reserve prevents corrosion even when diesel fuel with a high sulphur content is used.

Performance Levels and approvals:

API CF/CD/SF, ACEA E1-96, Caterpillar TO-2, ALLISON C3, Mercedes Benz Blatt 227, MIL-L-2104 D

Packing sizes:

6x1L, 12X1L, 4x3L, 4X4 L, 4x5L, 20L, 25L, 60 L DRUM, 208 L DRUM

GEAR OIL

OLYMPIA Hypoid Super Gear Oil, SAE 80W-90 GL-5



This Multi grade gear oil with advanced additive technology. Unique low friction properties. Extended equipment life. Total drive line capability. Gear oil with agents for reducing wear on bearing & tooth faces. Special additives prevent rust and foam formation. Suitable for a wide range of application. Excellent viscosity temperature behaviour. Outstanding resistance to ageing & cold. For use in heavy load motor vehicle transmission, particularly axle driven with hypoid gearing.

Performance Levels and approvals:

API GL-5, MAN 342N, ZF TE ML 05A, 07A, 12E, 16B, C, D, 17B, 19B, MERCEDES BENZ 235.0

Packing sizes:

12X1L, 4X4L, 60 L DRUM, 208 L DRUM

OLYMPIA High Tech Gear Oil, SAE 80W-90 GL-4



These are high performance multi purpose gear oil. Reduces temperature & minimize running noise. Extended drain capability. Proven reduction in operating temperatures. Universal use in all types of transmission: Super gear, Bevel gear, worm gear. Extended life & reducing wear on bearing and teeth. Optimum lubrication at low & high temperature. Selected base oil & Special additives provides high pressure gear oils.

Performance Levels and approvals:

API GL-4, MAN 341, ZF 02A, 17A, MERCEDES BENZ 235.1

Packing sizes:

12X1L, 4X4L, 60 L DRUM, 208 L DRUM

OLYMPIA Hi-Tech Gear Oil SAE 90 GL-4



These are high performance multi purpose gear oil. Reduces temperature & minimize running noise. Extended drain capability. Proven reduction in operating temperatures. Universal use in all types of transmission: Super gear, Bevel gear, worm gear. Extended life & reducing wear on bearing and teeth. Optimum lubrication at low & high temperature. Selected base oil & Special additives provides high pressure gear oils.

Performance Levels and approvals:

API GL-4, MAN 341, ZF 02A, 17A, MERCEDES BENZ 235.1

Packing sizes:

12X1L, 4X4L, 60 L DRUM, 208 L DRUM

OLYMPIA Super Premium Engine Oil SAE 20W-50



OLYMPIA Super Extra Premium Engine Oil is an engine oil with a high standard of quality. Time-tested base oils combined with pioneering additive technology result in an engine oil that withstands all the stresses generated by modern petrol and diesel engines in all operating conditions. It neutralises negative influences from the fuel, reduces friction and wear and prevents sludge formation. OLYMPIA Super Extra Premium is an ideal engine lubricant for petrol engines with and without catalytic converters and for fast-running diesel engines including turbo chargers.

Performance Levels and approvals:

API SJ/CF, Mercedes -Benz Blatt 229.1, VM 501.01/505.00, MIL-L2 104 E

Packing sizes:

12X1L, 4x3L, 4X4 L, 4x5L, 20L, 25L, 60 L DRUM, 208 L DRUM

DIESEL ENGINE OIL

OLYMPIA Partly Synthetic Truck - Tech Diesel Engine Oil SAE 10W-40



OLYMPIA Partly synthetic Truck-Tech Diesel Engine Oil SAE 10W-40 (partly synthetic) is an Extremely high performance partly synthetic engine oil. Specially designed to exclusively protect modern high performance diesel engines of Heavy-loaded trucks (Off-Roads). Designed using high performance base oils to reach perfect low temp fluidity, high temp viscosity and decreased fuel consumption.

Performance Levels and approvals:

API CI-4 ACEA - E7-04; GLOBAL DHD-1, MERCEDES BENZ, 228.3, MAN M 3275
MTU TYPE 2, VOVO VDS 3, SCANIA LDF-02, MAC EO-M+CUMMINS - 20077/78, RENAULT TRUCKS, RLD/RLD 2

Packing sizes:

6X1L, 12x1L, 4X4 L, 4x5L, 20L, 25L, 60 L DRUM, 208 L DRUM

OLYMPIA Performance Top - Trans Engine Oil SAE 15W-40



A Super Diesel, multi grade Engine Oil, suited as year rounds all purpose oil, especially for economical use in the mixed vehicle fleet. Thanks to its carefully selected additive package, combined with outstanding base oils, it can be used in modern high performance diesel engines, even with extended oil change intervals, as well as in gasoline engines. It satisfies the requirements of leading foreign and domestic manufacturers of diesel and gasoline engines.

Performance Levels and approvals:

API SL/CI-4/CH-4/CG-4/CF-4, ACEA-99, E5/B4/B3/A3, ACEA-02 E5/B4/B3/A2
Mercedes Benz 228.3/229.1, Volvo VDS III, Man 3275, MTU Type

Packing sizes:

12x1L, 4x4L, 4x5L, 25L, 60 L DRUM, 208 L DRUM

OLYMPIA Super High Performance Diesel Engine Oil SAE 20W-50



High-quality engine oil of the new generation. Time-tested base oils combined with new pioneering additive technology result in an engine oil that withstands all the stresses generated by petrol and diesel engines, even under strenuous conditions. It neutralises negative influences from the fuel, reduces friction and wear and prevents sludge formation.

Performance Levels and approvals:

API CF-4/SG, ACEA A2/B2/E2, Allison C-4, Caterpillar TO-2, Mack T7, MAN 271
Mercedes Benz Blatt 228.1, MIL-L-2104 E, MIL-L-46152 D, Volvo VDS, VW 501 01/505 00

Packing sizes:

12X1L, 4X4 L, 4x5L, 60 L DRUM, 208 L DRUM

OLYMPIA Premium FAMO Engine Oil SAE 15W-40



A modern low-friction universal engine oil for use in all engines, under all operating conditions and all environmental stresses (all-year oil). It's more than fulfils the highest demands that modern diesel and petrol engines currently place on engine oils. Research and testing over the years have resulted in an engine oil with outstanding properties.

Performance Levels and approvals:

ACEA A3/B3-04, B4-04 & E 2-96, API SL/CG-4, MAN 271, Mercedes-Benz Sheet 228.1
MACK EO-L, Volvo VDS, MTU/DDC TYPE 1, Allison C-4 (LEVEL

Packing sizes:

12X1L, 4X4 L, 4x5L, 25L, 60 L DRUM, 208 L DRUM

PETROL ENGINE OILS

OLYMPIA Super Tech Engine Oil SAE 0W-40



Modern fully synthetic low-viscosity engine oil created for all-year use. The combination of unconventional synthetic base oils with advanced additive technology guarantees a low-viscosity, highly shear-resistant engine oil that is sure to prevent deposit build-up, lower friction loss in the engine and provide optimal wear protection. This leads to savings in fuel consumption whilst at the same time extending the life of the engine. Suitable for petrol and diesel engines, including those with turbo-chargers and catalytic converters.

Performance Levels and approvals:

ACEA A 3-98,B 3-98,API, Mercedes Benz 229.1, Volkswagen 502.00/505.00, Porsche

Packing sizes:

6X1L, 4X4 L, ,60 L DRUM, 208 L DRUM

OLYMPIA Syntech Formula Fully Synthetic Engine Oil SAE 5W-30



Specially for the latest generation of gasoline, diesel and gas passengers car and vans. Suitable for engines of all emission classes, especially when equipped with filter system, catalyst or EGR. Reduces engine emission and oil consumption. Excellent engine cleanliness. Suitable for engines with multi-valve technology, valvetronic and turbo-charging (with or without charge air cooling). Guarantees to provide exceptional protection against wear.

Performance Levels and approvals:

API SM/CF,ACEA C3-07 (2007), ACEA A3/B4-04 (2007), Mercedes-Benz 229.51, BMW Longlife-04, VM50200, VM50500, VM50501, FORD WSS-M2C 917-A

Packing sizes:

12X1L, 4X4 L, 4x5L, 60 L DRUM, 208 L DRUM

OLYMPIA Pro-Tech Fully Synthetic Engine Oil SAE 5W - 40



This is a modern fully synthetic low-viscosity engine oil for all-year use. The combination of unconventional synthetic base oil components with the latest additive technology guarantees a low-viscosity, highly shear-resistant engine oil. that is sure to excellent fuel economy . Reduces oil consumption. Unsurpassed cold weather -450C starting excellent protection in high temperature. Increased engine performance and excellent engine cleanliness. Reduces engine emissions.

Performance Levels and approvals:

ACEA A3-98/B4-98, API SM/CF, Mercedes Benz 229.3, PORSCHE VW 502.00 / 505.00, BMW LONG LIFE 98

Packing sizes:

6X1L, 4X4 L, 4x5L, 60 L DRUM, 208 L DRUM

OLYMPIA HI- Tech Fully Synthetic Engine Oil SAE 0W-30



Modern fully synthetic low-viscosity engine oil created for all-year use. The combination of unconventional synthetic base oils with advanced additive technology guarantees a low-viscosity, highly shear-resistant engine oil that is sure to prevent deposit build-up, lower friction loss in the engine and provide optimal wear protection. This leads to savings in fuel consumption whilst at the same time extending the life of the engine. Suitable for petrol and diesel engines, including those with turbo-chargers and catalytic converters.

Performance Levels and approvals:

ACEA A 3-98,B 3-98,API SJ/CF, Mercedes Benz 229.1,Volkswagen 502.00/505.00,Porsche

Packing sizes:

6X1L, 4X4 L, ,60 L DRUM, 208 L DRUM

OLYMPIA Super Partly Synthetic Engine Oil SAE 10W-40



OLYMPIA Super Partly Engine Oil SAE 10W-40 (partly synthetic) is a modern low-viscosity engine oil for all-year use. The combination of synthetic and mineral base oils with advanced additive technology guarantees a low-viscosity engine oil, which lowers friction loss in the engine but provides optimal wear protection. This leads to savings in fuel consumption whilst at the same time extending the life of the engine.

Performance Levels and approvals:

API SL/CF, ACEA A3 -98; B3-98, Mercedes-Benz Sheet 229.1, VW 500 00/505 00 (1/97)

Packing sizes:

12X1L, 4X4 L, 4x5L, 25 L, 60 L DRUM, 208 L DRUM

GERMANY, OLYMPIA LUBE OIL GmbH,
LYONER STREET 40, D-60528
FRANKFURT AM MAIN, GERMANY

MOSCOW, OOO OLYMPIA OIL,
119415, STR. UDALSOVA 10, OFFICE 55,
MOSCOW, RUSSIA.

KABUL, SHAHAB CO. LTD,
NAZMIR PLAZA, SARAKE -QOWAI
MARKAZ, KABUL-AFGHANISTAN

UKRAINE, OLYMPIA OIL LTD.,
03049, KURSKA STREET, 10, KIEV, UKRAINE

OLYMPIA[®]
LUBE OIL

POWER THE FUTURE

THE GROUP HQ IS OLYMPIA LUBE OIL FZCO

📍 P.O. Box 17533, Jebel Ali Free Zone,
Dubai, United Arab Emirates

☎ +971 4 8817334

📠 +971 4 8817335

@ oloco@emirates.net.ae / info@olympiaoil.com



www.olympiaoil.com