



POWER THE FUTURE

# PRODUCT CATALOG

GERMANY | RUSSIA | UAE



Olympia Lube Oil was purely established with the aim of responding to our customers needs in an efficient, dynamic, profitable way and guide our esteemed customers with comprehensive product range.

We are committed to continuously evolve our product quality and range to ensure that the Olympia products are manufactured with the most advanced formulations.

We are fully committed to maintain the highest quality in all aspects that we do and we assure that you are dealing with a company that is striving to achieve total customer satisfaction.

Our complete range of products will enhance your vehicle performance and experience. Our team of experts, be it in quality or sales are always available to guide you with the right solution.

You can trust us with confidence. Our team is always at your service to meet your requirements at short notices to guarantee your uninterrupted working goals. Together, we will achieve success!

**Ahmad Shah Shahab**

*Chairman – Olympia Lube Oil FZCO.*



Olympia Group of Companies started its commercial activities in 1990 and was registered in Germany later that year. Olympia was established in UAE in 1994.

Quality of Olympia lubricants is meticulously checked by the prestigious European Automobile plants in Germany and Sweden. With the high quality approval certificates from these bodies, Olympia is proud to state that our product ranges are approved by the prestigious manufacturers, such as Porsche, Mercedes Benz, BMW, MAN, Volkswagen and Volvo.

The state of the art and the most sophisticated Olympia Plant in the Jebel Ali Free Zone, Dubai has a built up area of over 13,500 sq. metres, along with a warehouse of over 3,500 sq. metres with the capacity for blending, filling, packing and labelling of different lubricant SKU's.

To deliver the highest quality for all Olympia products, the company has built a modern laboratory with supreme equipment and testing techniques which constantly ensures that all Olympia Products meet the highest International Standards. It also allows our specialists to develop new and tailor made products for our customers with improved formulations.

Olympia Oil has a storage capacity of more than 10,000 MT and blending tanks with the production capacity of over 250,000 MT per annum with the modern European equipment, along with powerful pumps for safety & security of our plant and our staff. "Safety lies at the heart of our core values"

Further, growth and expansion of our production capabilities, as well as the product variants are in line with demand of our customers. This gave us a reason to spread our wings across the globe. Today our presence is wide across Russia, Afghanistan, Germany, Ukraine, Kyrgyzstan and also a wide network of Exclusive distributors and agents has been appointed by Olympia in whole of Africa, as well as in Australia, Kazakhstan, Turkmenistan, Tajikistan, Pakistan, Bangladesh, Azerbaijan, Iraq, Jordan, Turkey and Kingdom of Saudi Arabia.

Olympia Lube Oil products include high quality motor oils (mineral, semi-synthetic and synthetic lubricants) for Gasoline & Diesel Engines, Transmission Oils, Hydraulic Oils, Greases, as well as the speciality products such as Anti Freeze Coolants, Brake Fluids and Industrial & Marine Products.

Today, we are a global company with truly International Product range. Our goal is to be committed to deliver the best service and products around the world.



OLYMPIA LUBE OIL FZCO

## DISTRIBUTORS

### Countries



Afghanistan	Lebanon
Australia	Mali
Bahrain	Nigeria
Bangladesh	Pakistan
Benin	Qatar
Burkina Faso	Russia
Egypt	Tajikistan
Germany	Togo
Iraq	Turkmenistan
Ivory Coast	Ukraine
Kazakhstan	Uzbekistan
Kyrgyzstan	United Kingdom
Kingdom of Saudi Arabia	U.A.E





## PETROL ENGINE OILS

### OLYMPIA Super Tech Engine Oil SAE 0W-40



Modern fully synthetic low-viscosity engine oil created for all-year use. The combination of unconventional synthetic base oils with advanced additive technology guarantees a low-viscosity, highly shear-resistant engine oil that is sure to prevent deposit build-up, lower friction loss in the engine and provide optimal wear protection. This leads to savings in fuel consumption whilst at the same time extending the life of the engine. Suitable for petrol and diesel engines, including those with turbo-chargers and catalytic converters.

**Performance Levels and approvals:**

ACEA A 3-98,B 3-98,API, Mercedes Benz 229.1, Volkswagen 502.00/505.00, Porsche

**Packing sizes:**

6X1L, 4X4 L, ,60 L DRUM, 208 L DRUM

### OLYMPIA Syntech Formula Fully Synthetic Engine Oil SAE 5W-30



Specially for the latest generation of gasoline, diesel and gas passengers car and vans. Suitable for engines of all emission classes, especially when equipped with filter system, catalyst or EGR. Reduces engine emission and oil consumption. Excellent engine cleanliness. Suitable for engines with multi-valve technology, valvetronic and turbo-charging (with or without charge air cooling). Guarantees to provide exceptional protection against wear.

**Performance Levels and approvals:**

API SM/CF,ACEA C3-07 (2007), ACEA A3/B4-04 (2007), Mercedes-Benz 229.51, BMW Longlife-04, VM50200, VM50500, VM50501, FORD WSS-M2C 917-A

**Packing sizes:**

12X1L, 4X4 L, 4x5L, 60 L DRUM, 208 L DRUM

### OLYMPIA Pro-Tech Fully Synthetic Engine Oil SAE 5W - 40



This is a modern fully synthetic low-viscosity engine oil for all-year use. The combination of unconventional synthetic base oil components with the latest additive technology guarantees a low-viscosity, highly shear-resistant engine oil. that is sure to excellent fuel economy . Reduces oil consumption. Unsurpassed cold weather -450C starting excellent protection in high temperature. Increased engine performance and excellent engine cleanliness. Reduces engine emissions.

**Performance Levels and approvals:**

ACEA A3-98/B4-98, API SM/CF, Mercedes Benz 229.3, PORSCHE VW 502.00 / 505.00, BMW LONG LIFE 98

**Packing sizes:**

6X1L, 4X4 L, 4x5L, 60 L DRUM, 208 L DRUM

### OLYMPIA HI- Tech Fully Synthetic Engine Oil SAE 0W-30



Modern fully synthetic low-viscosity engine oil created for all-year use. The combination of unconventional synthetic base oils with advanced additive technology guarantees a low-viscosity, highly shear-resistant engine oil that is sure to prevent deposit build-up, lower friction loss in the engine and provide optimal wear protection. This leads to savings in fuel consumption whilst at the same time extending the life of the engine. Suitable for petrol and diesel engines, including those with turbo-chargers and catalytic converters.

**Performance Levels and approvals:**

ACEA A 3-98,B 3-98,API SJ/CF, Mercedes Benz 229.1,Volkswagen 502.00/505.00,Porsche

**Packing sizes:**

6X1L, 4X4 L, ,60 L DRUM, 208 L DRUM

### OLYMPIA Super Partly Synthetic Engine Oil SAE 10W-40



OLYMPIA Super Partly Engine Oil SAE 10W-40 (partly synthetic) is a modern low-viscosity engine oil for all-year use. The combination of synthetic and mineral base oils with advanced additive technology guarantees a low-viscosity engine oil, which lowers friction loss in the engine but provides optimal wear protection. This leads to savings in fuel consumption whilst at the same time extending the life of the engine.

**Performance Levels and approvals:**

API SL/CF, ACEA A3 -98; B3-98, Mercedes-Benz Sheet 229.1, VW 500 00/505 00 (1/97)

**Packing sizes:**

12X1L, 4X4 L, 4x5L, 25 L, 60 L DRUM, 208 L DRUM

### OLYMPIA Super Premium Engine Oil SAE 20W-50



OLYMPIA Super Extra Premium Engine Oil is an engine oil with a high standard of quality. Time-tested base oils combined with pioneering additive technology result in an engine oil that withstands all the stresses generated by modern petrol and diesel engines in all operating conditions. It neutralises negative influences from the fuel, reduces friction and wear and prevents sludge formation. OLYMPIA Super Extra Premium is an ideal engine lubricant for petrol engines with and without catalytic converters and for fast-running diesel engines including turbo chargers.

**Performance Levels and approvals:**

API SJ/CF, Mercedes -Benz Blatt 229.1, VM 501.01/505.00, MIL-L2 104 E

**Packing sizes:**

12X1L, 4x3L, 4X4 L, 4x5L, 20L, 25L, 60 L DRUM, 208 L DRUM

## DIESEL ENGINE OIL

### OLYMPIA Partly Synthetic Truck - Tech Diesel Engine Oil SAE 10W-40



OLYMPIA Partly synthetic Truck-Tech Diesel Engine Oil SAE 10W-40 (partly synthetic) is an Extremely high performance partly synthetic engine oil. Specially designed to exclusively protect modern high performance diesel engines of Heavy-loaded trucks (Off-Roads). Designed using high performance base oils to reach perfect low temp fluidity, high temp viscosity and decreased fuel consumption.

**Performance Levels and approvals:**

API CI-4 ACEA - E7-04; GLOBAL DHD-1, MERCEDES BENZ, 228.3, MAN M 3275  
MTU TYPE 2, VOVO VDS 3, SCANIA LDF-02, MAC EO-M+CUMMINS - 20077/78, RENAULT TRUCKS, RLD/RLD 2

**Packing sizes:**

6X1L, 12x1L, 4X4 L, 4x5L, 20L, 25L, 60 L DRUM, 208 L DRUM

### OLYMPIA Performance Top - Trans Engine Oil SAE 15W-40



A Super Diesel, multi grade Engine Oil, suited as year rounds all purpose oil, especially for economical use in the mixed vehicle fleet. Thanks to its carefully selected additive package, combined with outstanding base oils, it can be used in modern high performance diesel engines, even with extended oil change intervals, as well as in gasoline engines. It satisfies the requirements of leading foreign and domestic manufacturers of diesel and gasoline engines.

**Performance Levels and approvals:**

API SL/CI-4/CH-4/CG-4/CF-4, ACEA-99, E5/B4/B3/A3, ACEA-02 E5/B4/B3/A2  
Mercedes Benz 228.3/229.1, Volvo VDS III, Man 3275, MTU Type

**Packing sizes:**

12x1L, 4x4L, 4x5L, 25L, 60 L DRUM, 208 L DRUM

### OLYMPIA Super High Performance Diesel Engine Oil SAE 20W-50



High-quality engine oil of the new generation. Time-tested base oils combined with new pioneering additive technology result in an engine oil that withstands all the stresses generated by petrol and diesel engines, even under strenuous conditions. It neutralises negative influences from the fuel, reduces friction and wear and prevents sludge formation.

**Performance Levels and approvals:**

API CF-4/SG, ACEA A2/B2/E2, Allison C-4, Caterpillar TO-2, Mack T7, MAN 271  
Mercedes Benz Blatt 228.1, MIL-L-2104 E, MIL-L-46152 D, Volvo VDS, VW 501 01/505 00

**Packing sizes:**

12X1L, 4X4 L, 4x5L, 60 L DRUM, 208 L DRUM

### OLYMPIA Premium FAMO Engine Oil SAE 15W-40



A modern low-friction universal engine oil for use in all engines, under all operating conditions and all environmental stresses (all-year oil). It's more than fulfils the highest demands that modern diesel and petrol engines currently place on engine oils. Research and testing over the years have resulted in an engine oil with outstanding properties.

**Performance Levels and approvals:**

ACEA A3/B3-04, B4-04 & E 2-96, API SL/CG-4, MAN 271, Mercedes-Benz Sheet 228.1  
MACK EO-L, Volvo VDS, MTU/DDC TYPE 1, Allison C-4 (LEVEL

**Packing sizes:**

12X1L, 4X4 L, 4x5L, 25L, 60 L DRUM, 208 L DRUM



**OLYMPIA High Performance Engine Oil SAE 15W-40**

OLYMPIA high performance, multi grade motor oil, suited as year round all purpose oil, especially for economical use in the mixed vehicle fleet. Thanks to its carefully selected additive package, combined with outstanding base oils, it can be used in modern high performance diesel engines, even with extended oil change intervals, as well as in gasoline engines. It satisfies the requirements of leading foreign and domestic manufacturers of diesel and gasoline engines.

**Performance Levels and approvals:**

API CF-4/SG, ACEA A2/B2/E2, Allison C-4, Caterpillar TO-2, Mack T7, MAN 271  
Mercedes Benz Blatt 228.1, MIL-L-2104 E, MIL-L-46152 D, Volvo VDS, VW 501 01/505 00

**Packing sizes:**

12x1L, 4x4L, 4x5L, 25L, 60 L DRUM, 208 L DRUM

**OLYMPIA Super Diesel Engine Oil SAE 50**

This single-grade engine oil with a naturally high viscosity index is made from a basis of extremely ageing resistant solvent reagents together with optimally selected active agents. Their specific properties make them ideal for use in turbocharged diesel engines and for diesel engines in extreme operating conditions. Their high alkaline reserve prevents corrosion even when diesel fuel with a high sulphur content is used.

**Performance Levels and approvals:**

API CF/CD/SF, ACEA E1-96, Caterpillar TO-2, ALLISON C3, Mercedes Benz Blatt 227, MIL-L-2104 D

**Packing sizes:**

6x1L, 12x1L, 4x3L, 4x4 L, 4x5L, 20L, 25L, 60 L DRUM, 208 L DRUM

**GEAR OIL****OLYMPIA Hypoid Super Gear Oil, SAE 80W-90 GL-5**

This Multi grade gear oil with advanced additive technology. Unique low friction properties. Extended equipment life. Total drive line capability. Gear oil with agents for reducing wear on bearing & tooth faces. Special additives prevent rust and foam formation. Suitable for a wide range of application. Excellent viscosity temperature behaviour. Outstanding resistance to ageing & cold. For use in heavy load motor vehicle transmission, particularly axle driven with hypoid gearing.

**Performance Levels and approvals:**

API GL-5, MAN 342N, ZF TE ML 05A, 07A, 12E, 16B, C, D, 17B, 19B, MERCEDES BENZ 235.0

**Packing sizes:**

12x1L, 4x4L, 60 L DRUM, 208 L DRUM

**OLYMPIA High Tech Gear Oil, SAE 80W-90 GL-4**

These are high performance multi purpose gear oil. Reduces temperature & minimize running noise. Extended drain capability. Proven reduction in operating temperatures. Universal use in all types of transmission: Super gear, Bevel gear, worm gear. Extended life & reducing wear on bearing and teeth. Optimum lubrication at low & high temperature. Selected base oil & Special additives provides high pressure gear oils.

**Performance Levels and approvals:**

API GL-4, MAN 341, ZF 02A, 17A, MERCEDES BENZ 235.1

**Packing sizes:**

12x1L, 4x4L, 60 L DRUM, 208 L DRUM

**OLYMPIA Hi-Tech Gear Oil SAE 90 GL-4**

These are high performance multi purpose gear oil. Reduces temperature & minimize running noise. Extended drain capability. Proven reduction in operating temperatures. Universal use in all types of transmission: Super gear, Bevel gear, worm gear. Extended life & reducing wear on bearing and teeth. Optimum lubrication at low & high temperature. Selected base oil & Special additives provides high pressure gear oils.

**Performance Levels and approvals:**

API GL-4, MAN 341, ZF 02A, 17A, MERCEDES BENZ 235.1

**Packing sizes:**

12x1L, 4x4L, 60 L DRUM, 208 L DRUM

**OLYMPIA Hi-Tech Gear Oil SAE 140 GL-4**

A Super Diesel, multi grade Engine Oil, suited as year rounds all purpose oil, especially for economical use in the mixed vehicle fleet. Thanks to its carefully selected additive package, combined with outstanding base oils, it can be used in modern high performance diesel engines, even with extended oil change intervals, as well as in gasoline engines. It satisfies the requirements of leading foreign and domestic manufacturers of diesel and gasoline engines.

**Performance Levels and approvals:**

API GL-4, MAN 341, ZF 02A, 17A, MERCEDES BENZ 235.1

**Packing sizes:**

12XIL, 4X4L, 60 L DRUM, 208 L DRUM

**OLYMPIA Automatic Transmission Fluid, Dexron III**

OLYMPIA ATF D III is a hydraulic fluid for automatic transmission and hydraulic clutches, which require an automatic transmission fluid type Dexron III. Assures faultless functioning of the hydraulic transmission even under the most severe operating conditions and great temperature changes. May also be used as a hydraulic fluid for systems working under extreme operating condition.

**Performance Levels and approvals:**

VOITH G 607 ZF TE-ML 04D, 17C, ALLISON C4, CATERPILLAR TO-2, FORD MERCON, GM DEXRON II E, GM DEXRON III, MAN 339-C, MERCEDES - BENZ BLATT 236.1, OPEL

**Packing sizes:**

12XIL, 4X4 L, 60 L DRUM, 208 L DRUM

**GREASE****OLYMPIA Multi Purpose Grease K2K-30, MP2**

OLYMPIA SUPER MP GREASE IS A PREMIUM GRADE, LITHIUM BASED MULTI PURPOSE GREASE. It is given Good water resistance, Good mechanical and oxidation stability & excellent resistance to rust. Then suitable for all automotive, agricultural and industrial application.

**Performance Levels and approvals:**

NLGI MP-2

**Packing sizes:**

12x500g, 15Kg, 180 Kg

**BRAKE FLUID****OLYMPIA Ultra Break Fluid, DOT 4**

OLYMPIA BRAKE FLUID is a high quality, non evaporating, non-freezing brake fluid for use in all seasons and for all types of cars, trucks and buses. This brake fluid doesn't only corresponds to SAE specification 70R 3 and J1703 but even surpasses the requirements in many points. It confirms in its physical and chemical properties to the US safety standard FMVSS 571.116/DOT 4.

**Performance Levels and approvals:**

DOT 4

**Packing sizes:**

250 ml, 500ml

**COOLANT****OLYMPIA Anti Freeze OAF 7000, G-11 / 50%**

OAF 7000 G-11 antifreeze is suitable for all cooling systems, especially for aluminium engines. Protects engine from freezing, rusting and over heating. Free of nitrates, amines, phosphates and silicates. Antifreeze and corrosion inhibitor. Used in car and truck engines as a nitrate and silicate -free radiator antifreeze. Best diluted with deionized or drinking water. Contains effective Anti-corrosion inhibitors to protect the metals of the engine block and the radiator.

**Performance Levels and approvals:**

MERCEDES BENZ 325.3, PORSCHE, VW, SEAT, SKODA & AUDI TL 774D, NISSAN, MAN 324, MTU MTL 5048, BMW, RENAULT, GM VOLVO, TOYOTO

**Packing sizes:**

12XIL, 4x4L, 60 L DRUM, 200 L DRUM



**GERMANY, OLYMPIA LUBE OIL GmbH,**  
LYONER STREET 40, D-60528  
FRANKFURT AM MAIN, GERMANY

**MOSCOW, OOO OLYMPIA OIL,**  
119415, STR. UDALSOVA 10, OFFICE 55,  
MOSCOW, RUSSIA.

**KABUL, SHAHAB CO. LTD,**  
NAZMIR PLAZA, SARAKE -QOWAI  
MARKAZ, KABUL-AFGHANISTAN

**UKRAINE, OLYMPIA OIL LTD.,**  
03049, KURSKA STREET, 10, KIEV, UKRAINE



**POWER THE FUTURE**

**THE GROUP HQ IS OLYMPIA LUBE OIL FZCO**

📍 P.O. Box 17533, Jebel Ali Free Zone,  
Dubai, United Arab Emirates

☎ +971 4 8817334

📠 +971 4 8817335

@ oloco@emirates.net.ae / info@olympiaoil.com



**[www.olympiaoil.com](http://www.olympiaoil.com)**